


SAFETY PROTOCOL

Date :

This safety protocol is made by and between COMAP CHECY, 17 rue Louis Armand 45430 Chécy and the supplier company, see name below :

COMAP INFORMATION		1	SUPPLIER INFORMATION		
Contact Name : Mr PELLERIN DAVID			Company Name :		
Job Title : Logistics Platform Director					
<u>E-Mail</u> : david.pellerin@comap.eu					
Phone : 02-38-46-62-15 Fax : 02-38-46-62-20			Contract holder :		
Reception :			Carrier :		
See Document page3 « Entry to the site »			Phone number :		
Acces Itinerary :			Fax :		
See page 2 « Traffic plan trucks & cars »		-	E-Mail :		
Available Equipment :			Handling activities :		
⊠Docks ⊠Forklifts with drivers	Hand pallet jack		Loading Unloading	One-time Permanent	
Cargo requiring special handling :			Specific equipment :		
Loading / Unloading of oversized cargo : Pipes 5- 6mts lenght	⊠ Taut liner		Hand pallet jack	Other :	
Obligatory requirements for Loading / Unloading			Loading :		
Type of trailers : Reminder : The Loading/Unloading operations are done with forklifts. Our staff must work with absolute safety.	 Trailer floor in good conditions Curtainside in good conditions (waterproof) Other : 		Type :		
Personnal protective equipment obligatory :			Packaging :		
Yellow safety vest Safety shoes	Gloves: (If necessary according to the type of goods)		Pallets Boxes	Containers Other :	
Emergency plan :			Transport supplier must provide to its drivers		
See Document page 3 « Accident or urgency instructions »			Safety shoes Yellow safety vest	Gloves Other:/	
Signature shipper company			Signature supplier company		
(+commercial stamp)			(+commercial stamp)		





TRUCKS DIRECTION OF TRAFFIC

NOTICE : The access to the logistics center is regulated by rising barriers. To avoid the blocking of the inside court, the trucks coming to load must stay outside the site, drivers must ring the videophone and wait for the instructions given by Comap staff. The trucks coming to unload goods will take the itinenary until the receiving of goods docks.



SAFETY PROTOCOL

CHE16 DE15



